

Thesis Title

by

A. U. Thor

B.S., University of California (1980)
S.M., Massachusetts Institute of Technology (1984)

Submitted to the Department of Electrical Engineering and Computer Science
in partial fulfillment of the requirements for the degrees of

Doctor of Philosophy

and

Master of Science

at the

UNIVERSITY OF NEW MEXICO

June 2001

© Remove to use default copyright from the style

The author hereby grants to University of New Mexico permission to reproduce and
to distribute copies of this thesis document in whole or in part.

Signature of Author
Department of Electrical Engineering and Computer Science
13 May 2001

Certified by
David Collis
Director, Sound and Furry Laboratory
Research Head

Certified by
George D. Pearson
Director, Technical Support
Thesis Supervisor

Accepted by
Arthur C. Clarke
Chairperson, Department Committee on Graduate Students

Thesis Title

by

A. U. Thor

Submitted to the Department of Electrical Engineering and Computer Science
on 13 May 2001, in partial fulfillment of the
requirements for the degrees of
Doctor of Philosophy
and
Master of Science

Abstract

We study the effects of warm water on the local penguin population. The major finding is that it is extremely difficult to induce penguins to drink warm water. The success factor is approximately $-e^{-i\pi} - 1$. Replace this text with your own abstract.

Research Head: David Collis

Title: Director, Sound and Furry Laboratory

Thesis Supervisor: George D. Pearson

Title: Director, Technical Support

Chapter 1

Sample Mathematics and Text

1.1 In-line and Displayed Mathematics

The expression $\sum_{i=1}^{\infty} a_i$ is in-line mathematics, while the numbered equation

$$\sum_{i=1}^{\infty} a_i \tag{1.1}$$

is displayed and automatically numbered as equation 1.1.

Let H be a Hilbert space, C be a closed bounded convex subset of H , T a nonexpansive self map of C . Suppose that as $n \rightarrow \infty$, $a_{n,k} \rightarrow 0$ for each k , and $\gamma_n = \sum_{k=0}^{\infty} (a_{n,k+1} - a_{n,k})^+ \rightarrow 0$. Then for each x in C , $A_n x = \sum_{k=0}^{\infty} a_{n,k} T^k x$ converges weakly to a fixed point of T [?].

Two sets of L^AT_EX parameters govern mathematical displays.¹ The spacing above and below a display depends on whether the lines above or below are short or long, as shown in the following examples.

A short line above:

$$x^2 + y^2 = z^2$$

and a short line below.

¹L^AT_EX automatically selects the spacing depending on the surrounding line lengths.

A long line above may depend on your margins

$$\sin^2 \theta + \cos^2 \theta = 1$$

as will a long line below. This line is long enough to illustrate the spacing for mathematical displays, regardless of the margins.

1.2 Mathematics in Section Heads $\int_{\alpha}^{\beta} \ln t dt$

Mathematics can appear in section heads. Note that mathematics in section heads may cause difficulties in typesetting styles with running headers or table of contents entries.

1.3 Theorems, Lemmata, and Other Theorem-like Environments

A number of theorem-like environments is available. The following lemma is a well-known fact on differentiation of asymptotic expansions of analytic functions.

Lemma 1 *Let $f(z)$ be an analytic function in \mathbb{C}_+ . If $f(z)$ admits the representation*

$$f(z) = a_0 + \frac{a_1}{z} + o\left(\frac{1}{z}\right),$$

for $z \rightarrow \infty$ inside a cone $\Gamma_{\varepsilon} = \{z \in \mathbb{C}_+ : 0 < \varepsilon \leq \arg z \leq \pi - \varepsilon\}$ then

$$a_1 = -\lim_{z \rightarrow \infty} z^2 f'(z), \quad z \in \Gamma_{\varepsilon}. \quad (1.2)$$

Proof. Change z for $1/z$. Then $\Gamma_{\varepsilon} \rightarrow \bar{\Gamma}_{\varepsilon} = \{z \in \mathbb{C}_- : \bar{z} \in \Gamma_{\varepsilon}\}$ and

$$f(1/z) = a_0 + a_1 z + o(z). \quad (1.3)$$

Fix $z \in \bar{\Gamma}_{\varepsilon}$, and let $C_r(z) = \{\lambda \in \mathbb{C}_- : |\lambda - z| = r\}$ be a circle with radius $r = |z| \sin \varepsilon/2$. It follows from (1.3) that

$$\frac{1}{2\pi i} \int_{C_r(z)} \frac{f(\lambda) d\lambda}{(\lambda - z)^2} = \sum_{m=0}^1 a_m \frac{1}{2\pi i} \int_{C_r(z)} \frac{(\lambda - z_0)^m d\lambda}{(\lambda - z)^2} + R(z), \quad (1.4)$$

where for the remainder $R(z)$ we have

$$\begin{aligned} |R(z)| &\leq r^{-1} \max_{\lambda \in C_r(z)} o(|z|) = r^{-1} \max_{\lambda \in C_r(z)} |\lambda| \cdot O(|z| + r) \\ &= \frac{|z| + r}{r} \cdot O(|z| + r) = \frac{1 + \sin \varepsilon}{\sin \varepsilon} \cdot O(|z|). \end{aligned}$$

Therefore $R(z) \rightarrow 0$ as $z \rightarrow \infty$, $z \in \bar{\Gamma}_{\varepsilon/2}$, and hence by the Cauchy theorem (1.4) implies

$$\frac{d}{dz} f(1/z) = a_1 + R(z) \rightarrow a_1, \text{ as } z \rightarrow \infty, z \in \bar{\Gamma}_{\varepsilon/2},$$

that implies (1.2) by substituting $1/z$ back for z . ■

Chapter 2

Features of this Shell

2.1 Section Headings

Use the `Section` tag for major sections, and the `Subsection` tag for subsections.

2.1.1 Subsection

This is some harmless text under a subsection.

Subsubsection

This is some harmless text under a subsubsection.

Subsubsubsection This is some harmless text under a subsubsubsection.

Subsubsubsubsection This is some harmless text under a subsubsubsubsection.

2.2 Tags

You can apply the logical markup tag *Emphasized*.

You can apply the visual markup tags **Bold**, *Italics*, Roman, Sans Serif, *Slanted*, SMALL, CAPS, and Typewriter.

You can apply the special, mathematics only, tags `fraktur`, `BLACKBOARD BOLD`, and `CALLIGRAPHIC`. Note that blackboard bold and calligraphic are correct only when applied to uppercase letters A through Z.

You can apply the size tags `tiny`, `scriptsize`, `footnotesize`, `small`, `normalsize`, `large`, `Large`, `LARGE`, `huge` and `Huge`.

This is a Body Math paragraph. Each time you press the Enter key, Scientific WorkPlace switches to mathematics mode. This is convenient for carrying out “scratchpad” computations.

Following is a group of paragraphs marked as Body Quote. This environment is appropriate for a short quotation or a sequence of short quotations.

The only thing we have to fear is fear itself. *Franklin D. Roosevelt*, Mar. 4, 1933

Ask not what your country can do for you; ask what you can do for your country.

John F. Kennedy, Jan. 20, 1961

There is nothing wrong with America that cannot be cured by what is right with America. *William J. “Bill” Clinton*, Jan. 21, 1993

2.3 List Environments

You can create numbered, bulleted, and description lists using the tag popup at the bottom left of the screen.

1. List item 1
2. List item 2

(a) A list item under a list item.

The typeset style for this level is different than the screen style. The screen shows a lower case alphabetic character followed by a period while the typeset style uses a lower case alphabetic character surrounded by parentheses.

(b) Just another list item under a list item.

i. Third level list item under a list item.

A. Fourth and final level of list items allowed.

- Bullet item 1
- Bullet item 2
 - Second level bullet item.
 - * Third level bullet item.
 - Fourth (and final) level bullet item.

Description List Each description list item has a term followed by the description of that term. Double click the term box to enter the term, or to change it.

Bunyip Mythical beast of Australian Aboriginal legends.

Following is a short bibliography. It has no relationship to the previous text, but can be used to show sample citations such as [4] and [6]. This typesetting style places each citation in a superscript position. If you want multiple citations to appear next to each other, either separate the citations using a superscripted comma like [2][,][3][,][4] or type all of the citation keys inside a single citation, separating each with a comma like[2, 3, 4].

Bibliography

- [1] American Petroleum Institute, Technical Data Book - Petroleum Refining, 5th edition, 1992
- [2] Harstad, K. and Bellan, J., “Isolated fluid oxygen drop behavior in fluid hydrogen at rocket chamber pressures”, *Int. J. Heat Mass Transfer*, 1998a, **41**, 3537-3550
- [3] Harstad, K. and Bellan, J., “The Lewis number under supercritical conditions”, *Int. J. Heat Mass Transfer*, in print
- [4] Hirshfelder, J. O., Curtis, C. F. and Bird, R. B., *Molecular Theory of Gases and Liquids*, John Wiley and Sons, Inc., 1964
- [5] Prausnitz, J., Lichtenthaler, R. and de Azevedo, E., *Molecular thermodynamics for fluid-phase equilibrium*, Prentice -Hall, Inc., 1986
- [6] Reid, R. C., Prausnitz, J. M. and Polling, B. E., *The Properties of Gases and Liquids*, 4th Edition, McGraw-Hill Book Company, 1987